















A1	AMC1 Load-out / Maintenance Berth	Berth for vessels up to 200m long, 3.6m above CD. Fully serviced, including 60Hz power supply.
A2	AMC2 Maintenance Berth	60m long for vessel maintenance capable of operating 100t mobile cranes. Fully serviced, including 60Hz power supply.
A3	AMC3 Maintenance Berth	132m long for vessel maintenance capable of operating 100t mobile cranes. Fully serviced, including 60Hz power supply.
A4	AMC4 Heavy Lift / Maintenance Berth	Fully serviced berth for vessels up to 300m long, 4.5m above CD – including 60Hz power supply. Berth pocket dredged to 12.7m. Maximum total deck loading of 15,000t over 1,500m <sup>2</sup> of which 7,500t equally distributed over 2 skid zones each 2m x 8m.
A5	AMC5 RoRo and Heavy Lift Berth	Designed specifically for RoRo vessels to land a stern or stern quartering ramp onto a land-backed wharf 4.5m above CD. The berth is also suitable for Heavy Lift Ships and standard offshore barges typically 91m x 27m. Dredged to 8.0m.
A6	AMC6 Berth	Designed specifically for RoRo vessels to land a stern or stern quartering ramp onto a land-backed wharf 4.5m above CD. The berth is also suitable for Ships and standard offshore barges. Dredged to 8.0m.
FD	Floating Dock Transfer Wharf	Transfer location for vessels transported from Floating Dock to laydown area on SPMTs.
H	Protected Harbour	10m water depth overall with deep sink pockets for the load-out of/on AMC1 & 4 and the Floating Dock.

2, 3, 6, 21, 53, 56, 65	Project Offices	Office areas to accommodate from 3 to 70 people per building.
20, 57, 67, 73	Crib Rooms	
1, 4, 9, 10	Fabrication Hall, Workshop and Warehouses	Largest fabrication hall has under cover area of 4800m <sup>2</sup> x 42m high, includes portal crane with capacity to 200t and includes office space. Additional Fabrication halls, warehouse and workshops also available.
FM 5, FM 7, FM 70, FM 11	Facility Managers Offices	Including main Facility Managers office, Operations & Maintenance office, Floating Dock office and SPMT garage.
S	Main Gate Security and pass office	Additional security gates if required
FD	Floating Dock	Lifting capacity 12,000t. Transfer onto land 4,600t.
SP	Set up Area for Self Propelled Modular Transporters (SPMT's)	129 axle lines, capable of lifting 36t per line. Combined, these Scheuerle transporters are capable of moving structures or vessels up to 4,600t.
LD	Laydown Areas	Over 40ha of laydown area is available in the CUF and CUF North sites.
22, 61, 64, 68, 72	Amenities and public toilets	